



BIZERBA

■ ... closer to your business

■ ... Versatility pays ...

... Bizerba Basic class BC II Scales

For efficient solutions in stand-alone operation, the new Basic class has created its own set of benchmarks. With a notably widened spectrum of performance characteristics, it more than meets the increased requirements of electronic retail scales with pricing and printing functionality.

...better for every basic requirement...



Tomorrow already today
Thanks to programmable flash memory, the fiddly business of exchanging EPROMs is a thing of the past. Saves on material and servicing costs.

Greater advantages, greater future

Bizerba BC II scales can be used in a variety of ways. Based on a consistently multi-functional concept, they are especially suitable for use as full-, self- or quick-service scales and for printing price labels. On request they can be equipped with rechargeable batteries which have an operating time of 20 – 25 hours. The compact machines are also ideal for mobile businesses and market stalls. They can be connected to an external 12 volt battery and have a standard connection to a cash till providing additional paying in and paying out functionality.

Article data such as basic/piece price, article identifier, article group, expiry date, bar code and tare can be entered via the integrated keyboard and stored inside the scales. Or, even more conveniently, you can manage the data via your PC. With 1 MB RAM you can store up to 2000 PLUs with an average text length of 130 characters each or 6.000 PLUs with an average text length of 30 characters. Just as useful is the 4 MB flash memory which allows the scales program software to be updated directly from the PC. Together with the high speed processor, the new Bizerba Basic class offers technological highlights which have up till now been the exclusive domain of top-end machines.



Fast, centralized data programming and servicing, and connection to Inventory Management Systems makes the BC II scales high-fliers in their class.

Now that's impressive

Bizerba BC II scales are equipped with a robust label printer easily convertible to a thermal printer – which reliably prints high quality adhesive price labels and till receipts. A “direct” key allows the operating mode of the scales to be easily changed. Equally impressive is the increased speed of printing (up to 102 mm/s).



Whether printing price labels or receipts, the new Basic class does it for you more quickly. At peak sale

times, sales personnel are optimally deployed.





Basic class is top class: Flexible PLU memory with backlight display technique and ergonomic keyboard layout.

...Avoid errors, win time...



...be successful

For the user keyboard, you can choose between the basic model with a membrane keyboard or a conventional keyboard, each with 84 keys. Fully customizable, they are easily adapted to completely meet your needs. Colored keys, pictograms and easily recognizable article identifiers mean the keyboards are easy to understand and operate. You'd like to know more? We'd be only too pleased to help you! You can recall and print information about PLUs, server or product groups – including total turnover – from the scales directly or remotely from a PC connected to the

scales, which is often more convenient. And so you can plan and measure your success with your BC II scales.

Convincing opinion, attractive outlook

Thanks to the orange backlight, the 7 segment LCD display has more contrast than ever before. This relieves sales personnel of stress, and allows the customer to follow the instructions more easily. In addition to the numerical display, the new Bizerba Basic class also has an optional alphanumeric display – a feature that can provide more information and transparency during conversations with customers. Up till now they could only trust sales staff to be honest; now, in addition to the amount and price, customers can check themselves whether the product is the correct one. And when the scales aren't being used, the display can show running texts for special offers and advertisements at the point of sale. This is not an idle luxury: evidence shows that the chances of increased sales are particularly good. Especially so, when articles texts of up to 25 characters can be shown.



Regardless of the model, working with the Bizerba Basic class is always fun thanks to its ease of use, reliability, and the highest standards of design and materials used. The finest detail has been thought about. For example, how the machine can be hygienically cleaned in the shortest possible time. Design and function at their best.

... Instead of a standard solution, get the one that's best for you



Just as you imagine it should be

Bizerba BC II scales are available in different models:

- Electronic top-pan scales
- Electronic top-pan scales with customer display mounted on a stand
- Electronic shop scales with display, operating unit and printer mounted on a stand

Company-wide DIN EN ISO 9001 certification means our quality management guarantees a high level of product safety.

The daily cleaning of the scales is very much simplified thanks to smooth round-edged surfaces and robust keyboards. The printer can be cleaned inside and out by removing the printer heads. And should something not work as it should, the Bizerba Service team is there to help you, quickly and competently.

Bizerba's modular range of service agreements with its preventative and maintenance servicing guarantees high operational availability of your investment. In addition Bizerba offers an extensive selection of original parts and attractive financing and leasing plans from BLG Bizerba Leasing.

Next generation retail concepts, from a single source, with the know-how of the specialists in fresh food



BC II 800 E
*Electronic retail scales
with display, keyboard and
printer on a mounted stand*

Multi-use BC II scales offer all the functions and features you expect these days as well as fast and easy operation. Eye contact with customer always guaranteed.



BC II 200 F-E
*Electronic top-pan scales
with customer display on
a mounted stand*



BC II 100 E
*Electronic top-pan scales
with label printer*



Weighing range	6 kg	15 kg	30 kg ¹⁾	3/6 kg ¹⁾	6/15 kg ¹⁾	15/30 kg ¹⁾
Scale division	2 g	5 g	10 g	1/2 g	2/5 g	5/10 g
Minimum load	40 g	100 g	200 g	20 g	40 g	100 g
Max. tare load	-6 kg	-9,995 kg	-30 kg	-6 kg	-9,995 kg	-30 kg

Automatic zeroing function, Programmable zeroing key

- **Label Printer:** 432 dots; 8 dots/mm resolution; printing speed 102 mm/s; graphic functionality; logo printing; upper and lower case letters; multiple font size and styles; EAN/UPC bar code; max. label length 145 mm; receipt width 58 mm; print width 54 mm; customizable labels; numerous pre-defined and fully customizable label sizes and layouts; transferable to adhesive thermal and normal thermal print; label layout on thermal paper; optional talon.

Display

- 7 segment LCD with backlight; height of digit 12 mm; 4 or 5 digit weight display; 6 digit basic/sales price display; 4 digit tare display
- Optional: 7 segment LCD with backlight, height of digit 12 mm; 4 or 5 digit weight display; 6 digit basic/sales price display; extra LCD dot matrix display with backlight for article text up to 25 digits; 4 digit tare display; advertising information

Keyboard

- Membrane or conventional keyboard (optional); fully customizable; 84 keys, 30 of which are function keys and 54 direct keys for PLUs and other function keys; integrated programming keyboard; membrane keyboard on top of insert and conventional keyboard on top of slip-on frame (optional) can be written on; slip-on frame for mounting on conventional keyboard with 24 self-service keys (optional).

Data memory

- 1 MB for 2000/6800 PLUs with basic price and article text max. 130/30 characters

Programmable data per PLU

- Basic/piece price; product identifier max. 500 characters; additional text max. 6000 characters; article group; expiry date; bar code; price overwrite function; tare; by count; price basis kg, 100g, lb, 1/4lb; origin information identifier

Operating modes

- Full-, self- or quick-service function; cash till functions including paying-in/ paying-out mode; manual or automatic price labeling, with or without addition; weight labeling; piece no. pre-selection for automatic printing

Interfaces

- Ethernet interface (100 Base-T) for connection to the data processing department, till drawer

Reports

- Complete, user, PLU, article group and origin information

Further features

- Ticket voiding, continual date/time update, customizable EAN code, multi-lined header and footer (on receipts only), selectable height of EAN code, proof of origin of meat products, 99 article groups, Repeat/re-open receipt, foreign currency conversion, rounding of customer total, subtotal, scales program software downloadable via the interface, 16 keys for sales personnel, 4 tare fixed value keys

Battery operation¹⁾

- Internal Li-ion battery pack, rechargeable via the scales' mains supply, operating time approx. 20–25 hours (controlled charging), display of battery status

External battery operation¹⁾

- 12V, using a special battery connection cable

Temperature range


- -10° – +40°C

Operating voltage

- (-10 +6%) 230V or (-15 +10%) 120V

Current consumption

- at 230 V max. 250 mA
- at 120 V max. 350 mA



Bizerba GmbH und Co. KG
Wilhelm-Kraut-Straße 65
72336 Balingen
Germany
Telefon +49 7433 12-0
Telefax +49 7433 12-2696
marketing@bizerba.de
www.bizerba.com

Bizerba (U.K.) Limited
Bizerba House
Eastman Centre
Eastman Way
Hemel Hempstead
Herts HP 2 7 DU
U.K.
Tel. +44 1442 24-0751
Fax +44 1442 2313-28
sales@bizerba.co.uk

Bizerba USA Inc.
31 Gordon Road
Piscataway
New Jersey 08854
USA
Tel. Office +1 732 565-6000
Tel. Service +1 732 565-6001
Fax +1 732 819-0429
us.info@bizerba.com
www.bizerbausa.com

Bizerba Canada Inc.
2810 Argentinia Road
Unit 9
Mississauga, Ontario L5N 8L2
Canada
Tel. +1 905 81604-98
Fax +1 905 81604-97
sales@bizerba.ca
www.bizerba.ca

Bizerba South East Asia
Pte. Ltd.
1 Fifth Avenue #02-05
Guthrie House
Singapore 268802
Singapore
Tel. +65 6465-1900
Fax +65 6468-0481
bizerba@bizerba-sea.com
www.bizerba-sea.com